



Great Results in Ultra-Large Dimensions

New functions and lower consumption make the New Atlantis Collection an ideal and efficient laundry solution for small businesses.

Robust and easy to use Designed to wash more in a single load



HIGHEST LOAD CAPACITY

Thanks to a 99lt drum capacity, it is possible to process all laundry up to 15 kg with a single load to save time.



NEW SMART AGITATOR

The new smooth shape of the agitator ensures the right level of friction, reducing laundry entanglement combined with its unique ability to protect fabric fibres.



NEW PORCELAIN DRUM

The anti-corrosive properties of the new porcelain drum prevents cracking, chipping or rust build-up.

CONSUMPTION SAVING

The new agitator washing system also ensures water and detergent saving since the laundry sits in the lower part of the drum, allowing partial water filling and, consequently, reducing energy usage.









AUTODRY™ SYSTEM

Innovative and intuitive built-in sensors enable the 6^{TH} SENSE drying technology to automatically detect when the laundry is dry and stops the cycle to prevent over-drying.

EXTRA SPACE

With a 198lt of drum capacity, there is plenty of room to easily handle large loads and bulky items.

WRINKLE SHIELD™ OPTION

When you are unable to remove a load of clothes from the dryer as soon as it stops, wrinkles can form. The Wrinkle Shield™ feature periodically tumbles, rearranges, and fluffs the load to help keep wrinkles from forming.

MATCHING AESTHETICS

Perfect matching with the washer, providing a different updated look.





3LWTW4815FW

- 15 kg
- 660 rpm
- 6[™] SENSE Technology
- 12 programmes
- Hot & cold water inlet
- New smart agitator
- New porcelain drum
- Auto water level sensor
- 4 water temperature options
- 3 soil level options



3LWTW4705FW

- 15 kg
- 660 rpm
- 12 programmes
- Hot & cold water inlet
- New smart agitator
- New porcelain drum
- Auto water level sensor
- 4 water temperature options
- 3 soil level options





MAIN FEATURES/PARAMETERS		
Product Description	3LWTW4815FW	3LWTW4705FW
12NC Code	853797365000	853797465000
EAN Code	0883049390284	0883049390260
Load Capacity (kg)	15 kg	15 kg
Maximum Spin Speed (rpm)	660 rpm	660 rpm
Type of Control Panel	LED (3 knobs)	LED (3 knobs)
Type of Timer	Electro Mechanical	Electro Mechanical
Panel Language	English/Symbols	English/Symbols
Main Colour of Product	White with Silver Console	White
Plug Type	Universal Plug - IEC (British / Schuko / SABS / US)	Universal Plug - IEC (British / Schuko / SABS / US)
Drum Volume (I)	99 I	99 I
Type of Motor	PSC Motor	PSC Motor
Heating Type	Hot & Cold Water Intake	Hot & Cold Water Intake
Number of Programmes	12	11
WEIGHT & DIMENSIONS		
Gross Weight (kg)	63,6 kg	63,6 kg
Net Weight (kg)	54,5 kg	54,5 kg
Height of the Product (mm)	1067	1067
Width of the Product (mm)	699	699
Depth of the Product (mm)	686	686
Height of the packed Product (mm)	1162	1162
Width of the packed Product (mm)	737	737
Depth of the packed Product (mm)	687	687
TECHNICAL DATA		
Voltage (V)	220 V / 240 V	220 V / 240 V
Frequency (Hz)	50 Hz	50 Hz
Drum Material	White Porcelain	White Porcelain



3LWED4830FW - SAME FOR: 3LWED4815FW

- 15 kg
- Air-Vented
- 6[™] SENSE Technology
- LED 3 Knobs
- 18 programmes
- Galvanised drum
- External exhaust pipe
- Automatic drying cycles
- Drying time selection
- Wrinke shield cycle



3LWED4705FW

- 15 kg
- Air-Vented
- LED 3 Knobs
- 16 programmes
- Galvanised drum
- External exhaust pipe
- Automatic drying cycles
- Drying time selection
- Wrinke shield cycle







MAIN FEATURES/PARAMETERS			
Product Description	3LWED4830FW	3LWED4815FW	3LWED4705FW
12NC Code	853797765000	851299601250	853797665000
EAN Code	0883049388984	0883049390604	0883049388960
Load Capacity (kg)	15 kg	15 kg	15 kg
Technology	Air Vented	Air Vented	Air Vented
Type of Control Panel	LED 3 knobs	LED 3 knobs	LED 3 knobs
Type of Timer	Electro-Mechanical	Electro-Mechanical	Electro-Mechanical
Panel Language	English / Symbols	English / Symbols	English / Symbols
Main Colour of Product	White with Silver Console	White with Silver Console	White
Plug Type	Schuko - SABS	No	No
Drum Volume (I)	198 I	198 I	198 I
Type of Motor	PSC Motor	PSC Motor	PSC Motor
Heating Type	Electric	Electric	Electric
Number of Programmes	18	18	16
WEIGHT & DIMENSIONS			
Gross Weight (kg)	61,2 kg	54,5 kg	55 kg
Net Weight (kg)	49,5 kg	49,5 kg	49,5 kg
Height of the Product (mm)	1118	1118	1118
Width of the Product (mm)	737	737	737
Depth of the Product (mm)	717	717	717
Height of the packed Product (mm)	1100	1140	1100
Width of the packed Product (mm)	750	742	750
Depth of the packed Product (mm)	780	780	779
TECHNICAL DATA			
Voltage (V)	220-240 V	220-240 V	220-240 V
Frequency (Hz)	50 Hz	50 Hz	50 Hz
Connection Rating (W)	3000 W	4600 W	4600 W
Drum Material	Galvanised	Galvanised	Galvanised

The vented dryers come without the ventilation pipe. If necessary, we recommend the following spare part code that can be ordered separately, compliant with our models: Flexible dryer (C00538010)



Whirlpool EMEA S.p.A.

Via Carlo Pisacane, 1 - 20016 Pero (MI) Italy



Whirlpool is a registered trademark of Whirlpool USA